PRODUCT DATA SHEET

Chromalite® CGC100x8

Gel Strong Acid Cation Activated Styrene/ Polydivinylbenzene Copolymer Chromalite CGC100x8 is a chromatographic cation exchange resin designed for small organic and inorganic compound separation and purification polymer. It contains 100 m styrenic resin beads crosslinked with 8% divinylbenzene (DVB). Our proprietary manufacturing method creates perfectly spherical beads with exceptional kinetic and packing properties.

Unlike similar products on the market, our Chromalite CGA and CGC resins are supplied in highly pure form (very low extractables content) and do not require pre-treatment. As such they are suitable for pharmaceutical applications.

Equivalent to:

- Dowex; 50WX8 100-200 mesh (Dow)
- AG 50WX8 (Bio-Rad)

Note:

CGC resins occasionally exhibit colour release into surrounding water after prolonged storage (this will not affect performance).

In such cases it is recommended to rinse the affected resin with sufficient volumes of water to remove this colour release before putting the resin into service.

PRINCIPAL APPLICATIONS

- Ion exchange chromatography
- Desalting of biomolecules after fermentation
- Suitable for inorganic, organic and biological molecule separation

ADVANTAGES

- High chemical stability
- · Optimal for large column packing
- High purity
- Exceptional kinetic and packing properties

REGULATORY APPROVALS

- Compliant with FDA regulation 21 CFR 173.25
- Compliant with ResAP(2004) 3
- Halal
- Kosher
- TSE/BSE/GMO free

TYPICAL PACKAGING

- 250 g
- 1 kg

TYPICAL PHYSICAL & CHEMICAL CHARACTERISTICS:

Appearance	Orange to dark brown spherical beads
Functional Group	Sulphonic acid
Supplied as	Wet in H+ form
Volume capacity (min.)	1.7 eg/l



Americas

T +1 610 668 9090 F +1 610 668 8139 americas@purolite.com FMFA

T +44 1443 229334 F +44 1443 227073 europe@purolite.com Asia Pacific

T +86 571 876 31382 F +86 571 876 31385 asiapacific@purolite.com

Weight capacity (min.)	5 eq/Kg
Particle size (90% in Range)	50 - 175 μm
Particle size (90% in the range)	80 - 270 mesh
Mean Diameter	75 - 125 μm
Uniformity Coefficient (max.)	< 1.5
Total moisture	45 - 60 %
pH limit stability	1 - 14
Optimal storage condition	2 - 20 °C
Ionic Form	H+
Expiry date (from date of manufacture)	5 years
% Crosslinking	8



Americas

T +1 610 668 9090 F +1 610 668 8139 americas@purolite.com **EMEA** T +44 1443 229334 F +44 1443 227073

europe@purolite.com

Asia PacificT +86 571 876 31382
F +86 571 876 31385
asiapacific@purolite.com